

DH-PFM340-5CH

DC12V4A 5-ch CCTV Distributed Power Box



Features

- 5 Channel security camera power supply distribution box with individual LED output indicator and metal case by lock key to prevent unauthorized access.
- Wide voltage input: AC90~264Vac, meet the requirements in different parts for electric network fluctuation.
- High quality and reliability: pass 100% quality examination and 3 months high temperature aging test.
- With overload protection, over-current protection, over-voltage protection, anti-static and anti-interference ability.
- Professional wall-mounted installation with reserved outlet holes, convenient and flexible.


Technical Specifications

Model	DH-PFM340-5CH
General	
Input voltage range	AC90~264V
Outputs	5 x 12VDC (-3%~+7%) Outputs
Max. output	4 A
Output protection	5 replacement fuses, max. per output 2.5A
Efficiency	84%
No load power consumption	<0.5W
Surge protected	Line to ground: 4000V Line to line: 2000V
ESD	Contact discharge: 6000V Air discharge: 8000V
Internal ON/OFF power switch	Yes
Individual LED output indicator	Yes
Dimension	165mmx165mmx50mm(6.5"x6.5"x1.97")
Weight	0.85kg(1.87lb)
Color	White
Installation mode	Wall-mounted
Operating temperature	-20°C ~ +45°C (-4°F ~ +113°F)
Operating humidity	<90% RH
Certification	CE/FCC

Order Information

Type	Part Number	Description
Power	DH-PFM340-5CH	CCTV distributed power supply _Dahua brand, 5x0.8A, DC12V
	DH-PFM341-9CH	CCTV distributed power supply _Dahua brand, 9x0.55A, DC12V

Dimensions (mm/inch)



Package Information

- CCTV distributed power box DH-PFM340-5CH *1
- Mounting sticker *1
- Fuse *2
- Key *2
- St4 screw *3
- Plastic anchor *3