


Datasheet of Manual Push Button Switch

Model No.: EF-BBMRC01



Specifications:

Product name: push start button switch

Model No.: EF-TPB03

Electric shock form: 2 normally open 2 normally closed

Rated current: 3A

Rated voltage: AC250V 600V

Product weight: 0.13KG/pc

Product features: automatic reset, without lock

Product Description

The Elefine EF-TPB03 Exterior Three-Button Lockout Surface Mount Control Station grants secured access to your commercial garage door or gate operator from afar. This high-quality exterior 3-button control with mortise lockout features open, close and stop push button functionality and keyed lockout to ensure that the unit is only accessible to those with the proper credentials.

The durable enclosure makes this unit ideal for placement in the outdoors. It means that the unit is safe and sturdy enough to hold up throughout all weather conditions,

including rain, snow and wind. This unit measures 7 inches high by 2.75 inches wide by 3.5 inches deep and usually ships the next business day from North Shore Commercial Door.

Features:

Engineered with removable core

Primary (operator) key to use device

Extract core with master key and simply insert compatible replacement core

This SFIC (Small-Format Interchangeable Core) is ideal for commercial and industrial applications.

Switch Wiring Reference:



Application:

Transportation industry, scientific and technological experiment, medical industry, communication system

Application

