

DS-TMG001-3D**DS-TMG32 series Barrier Gate Straight Pole**

- Octagonal straight and telescopic pole
- With a wall thickness of 0.8mm

▪ Specification

Boom Pole	
Boom Pole Type	Octagonal Pole and Octagonal Telescopic Pole
Boom Pole Material	Aluminum Profile
Boom Pole Color	White Background with Red Bar
Boom Pole Dimensions	3m: 110 × 50 × 3030mm(4.33 × 1.97 × 119.29inch)(H × W × L) 4m: 110 × 50 × 4040mm(4.33 × 1.97 × 159.06inch)(H × W × L) 2.6-4m: 110 × 50 × 2630mm(4.33 × 1.97 × 103.54inch)(H × W × L) 3.6-6m: 110 × 60 × 3630mm(4.33 × 2.36 × 142.91inch)(H × W × L)
Boom Pole Weight	3m: 2.6kg (5.73lb.) 4m: 3.4kg (7.50lb.) 2.6-4m: 3.6kg (7.94lb.) 3.6-6m: 5.2kg (11.64lb.)
Boom Pole Dimensions (with Package)	3m: 115 × 55 × 3080mm(4.53 × 2.17 × 121.26inch)(H × W × L) 4m: 115 × 55 × 4090mm(4.53 × 2.17 × 161.02inch)(H × W × L) 2.6-4m: 115 × 55 × 2680mm(4.53 × 2.17 × 105.51inch)(H × W × L) 3.6-6m: 115 × 65 × 3680mm(4.53 × 2.56 × 144.88inch)(H × W × L)
Boom Pole Weight (with Package)	3m: 3.2kg (7.05lb.) 4m: 4.2kg (9.26lb.) 2.6-4m: 4.2kg (9.26lb.) 3.6-6m: 5.77kg (12.72lb.)

▪ Available Model


DS-TMG001-3D(3m octagonal)

DS-TMG001-3D(4m octagonal)

DS-TMG001-3D(2.6-4m)

DS-TMG001-3D(3.6-6m)

▪ Dimension



▪ **Accessory**



DS-TMG320/TR



DS-TMG320-H/B

See Far, Go Further



www.hikvision.com
support@hikvision.com

